


BAXI



SPARE PARTS CATALOGUE

- January 2015 -

HOW TO READ THE SPARE PARTS CATALOGUE

In the spare part catalogue, after the exploded diagrams, there are the components lists of the boilers; this is the meaning of the different columns:

Pos. Identification number of the component in the exploded diagram of the boiler.

Description Short description of the component.

Code BAXI S.p.A. code of the component.

Tab. XX XX is the exploded diagram number of the boiler taken into consideration.

Until 31st December 2011

From serial number Date (year and week) identifying the beginning of production of a component (taken from the serial number of the boiler).

e.g. B005: year 2000 (B identifies the decade 2000-2009; 0 identifies the year) – 5th week.

If the box is empty, the component is in use from the beginning of production of the boiler.

To serial number Date (year and week) identifying the end of production of a component (taken from the serial number of the boiler).

e.g. B012: year 2000 (B identifies the decade 2000-2009; 0 identifies the year) – 12th week.

If the box is empty, the component is still in use.

Interchangeable It identifies the interchangeability between the new component and the old one.

YES: components are interchangeable.

NO: components are not interchangeable

From the 1st January 2012

From serial number Date (year and week) identifying the beginning of production of a component (taken from the serial number of the boiler).

e.g. 1205: year 2012 (1 identifies the decade 2010-2019; 2 identifies the year) – 5th week.

If the box is empty, the component is in use from the beginning of production of the boiler.

To serial number Date (year and week) identifying the end of production of a component (taken from the serial number of the boiler).

e.g. 1235: year 2012 (1 identifies the decade 2010-2019; 2 identifies the year) – 35th week.

If the box is empty, the component is still in use.

Interchangeable It identifies the interchangeability between the new component and the old one.

YES: components are interchangeable.

NO: components are not interchangeable.

TABELLA COLLEGAMENTO CODICE CALDAIA - ESPLOSO
TABLEAU CONNECTION CODEX CHAUDIERE - VUE ECLATEE
BOILERS CONNECTION BOARD - EXPLODED VIEW

BOILER CODE	BOILER DESCRIPTION	EXPLODED REF.
CODICE CALDAIA	DESCRIZIONE CALDAIA	RIF. ESPLOSO
CODIGO CALDERA	DESCRIPCION CALDERA	REF. EXPLOSIONADO
CODE CHAUDIÈRE	DESCRIPTION CHAUDIÈRE	RÉF. EXPLOSÉE
WSB431153013/4	SLIM 1_150 I	Tab 138
WSB431153010/1/2	SLIM 1_150 I	Tab 138
WSB435233010/1/2	SLIM 1_230 FI 4E	Tab 139
WSB435233013	SLIM 1_230 FI 4E	Tab 139
WSB435233473	SLIM 1_230 FIN	Tab 141
WSB435233470/1/2	SLIM 1_230 FIN	Tab 141
WSB431233010/1/2	SLIM 1_230 I 4E	Tab 138
WSB431233013/4	SLIM 1_230 I 4E	Tab 138
WSB431233470/1/2	SLIM 1_230 IN 4E	Tab 142
WSB431233473/4	SLIM 1_230 IN 4E	Tab 142
WSB435303013	SLIM 1_300 FI	Tab 139
WSB435303010/1/2	SLIM 1_300 FI	Tab 139
WSB435303473	SLIM 1_300 FIN	Tab 141
WSB435303470/1/2	SLIM 1_300 FIN	Tab 141
WSB431303010/1/2	SLIM 1_300 I 5E	Tab 138
WSB431303013/4	SLIM 1_300 I 5E	Tab 138
WSB431303470/1/2	SLIM 1_300 IN 5E	Tab 142
WSB431303473/4	SLIM 1_300 IN 5E	Tab 142
WSB431403470/1/2/3	SLIM 1_400 IN 6E	Tab 143
WSB431493470/1/2/3	SLIM 1_490 IN 7E	Tab 143
WSB431623470/1/2/3	SLIM 1_620 IN 9E	Tab 143

SLIM ONLY HEATING

HEATING																											
Pos	Code	Description code	43153010/1/2 1.150i 3E	431153013/4 1.150i 3E	431233010/1/2 1.230i 4E	431233013/4 1.230i 4E	431233470/1/2 1.230iN 4E	431233473/4 1.230iN 4E	431303010/1/2 1.300i 5E	431303013/4 1.300i 5E	431303470/1/2 1.300iN 5E	431303473/4 1.300iN 5E	431403470/1/2/3 1.400iN 6E	431493470/1/2/3 1.490iN 7E	431623470/1/2/3 1.620iN 9E	435233010/1/2 1.230Fi 4E	435233013 1.230Fi 4E	435233470/1/2 230 FiN 4E	435233473 230 FiN 4E	435303010/1/2 1.300Fi 5E	435303013 300 FiN 5E	435303470/1/2 300 FiN 5E	435303473 300 FiN 5E	To serial number	From serial number	Intercha ngeable:	
2	3618370	LEFT PANEL ASSEMBLY -3E-	•	•																							
2	3618390	LEFT PANEL ASS.			•	•	•	•																			
2	3618410	LEFT PANEL ASSEMBLY 5E							•	•	•	•															
2	3618430	LEFT PANEL ASSEMBLY 6E											•														
2	3618450	LEFT PANEL ASEMBLY 7E												•													
2	3618470	LEFT PANEL ASSEMBLY 9E													•												
2	3618630	LEFT PANEL 4E 039 FF														•	•	•	•								
2	3618650	LEFT PANEL 039 5E FF																		•	•	•	•				
3	3618360	RIGHT PANEL ASSEMBLY -3E- 039	•	•																							
3	3618380	RIGHT PANEL ASS.			•	•	•	•																			
3	3618400	RIGHT PANEL ASSEMBLY 5E							•	•	•	•															
3	3618420	RIGHT PANEL ASSEMBLY 6E											•														
3	3618440	RIGHT PANEL ASSEMBLY 7E												•													
3	3618460	RIGHT PANEL ASSEMBLY 9E													•												
3	3618620	RIGHT PANEL 4E 039 FF														•	•	•	•								
3	3618640	RIGHT PANEL ASSEMBLY -5E-FF																		•	•	•	•				
4	3618500	DOOR ASSEMBLY 350 MM	•	•	•	•	•	•	•	•	•	•	•	•	•	•											
4	3618680	DOOR ASSEMBLY 350 MM FF														•	•	•	•	•	•	•	•				
6	3200950	NUT G1	•	•	•	•			•	•						•	•			•	•						
9	3105470	RESTRICTOR AIR INTAKE														•	•	•	•								
9	5108700	RESTRICTOR-AIR INTAKE																		•	•	•	•				
10	5207060	FLUE ADAPTOR														•	•	•	•	•	•	•	•				
11	5407890	GASKET ADAPTOR														•	•	•	•	•	•	•	•				
12	5108690	PLATE BLANKING														•	•	•	•	•	•	•	•				
13	5407400	SUCTION CAP GASKET														•	•	•	•	•	•	•	•				
14	3108540	SEALED CH.COVER 4E 039 FF														•	•	•	•								
14	3108550	SEALED CH.COVER 5E 039 FF																		•	•	•	•				

[illegible]

SLIM ONLY HEATING

SLIM ONLY

HEATING

16/01/2015

Pos	Code	Description code	WSB43153010/1/2 1.150i 3E	WSB43153013/4 1.150i 3E	WSB43123010/1/2 1.230i 4E	WSB43123013/4 1.230i 4E	WSB43123470/1/2 1.230iN 4E	WSB43123473/4 1.230iN 4E	WSB431303010/1/2 1.300i 5E	WSB431303013/4 1.300i 5E	WSB431303470/1/2 1.300iN 5E	WSB431303473/4 1.300iN 5E	WSB431403470/1/2/3 1.400iN 6E	WSB431493470/1/2/3 1.490iN 7E	WSB431623470/1/2/3 1.620iN 9E	WSB43523010/1/2 1.230Fi 4E	WSB43523013 1.230Fi 4E	WSB435233473 1.230 FiN 4E	WSB43523470/1/2 1.230 FiN 4E	WSB435303010/1/2 1.300Fi 5E	WSB435303013 1.300Fi 5E	WSB435303473 1.300 FiN 5E		To serial number	From serial number	Intercha ngeable:	
39	5203930	VIEWING WINDOW															•	•	•	•			•				
40	5103360	SURROUND - VIEWING WINDOW															•	•	•	•			•				
42	3602420	MULTIGAS BURNER 3E	•	•																							
42	3602430	MULTIGAS BURNER 4E			•	•	•	•									•	•	•	•							
42	3602440	MULTIGAS BURNER 5E							•	•	•	•								•	•	•	•				
42	3602450	MULTIGAS BURNER 6E											•														
42	3602460	MULTIGAS BURNER 7E													•												
42	3602480	MULTIGAS BURNER 9E														•											
43	3614390	GAS RAMP -039 TANDEM-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
44	609520	NATURAL GAS INJECTORS KIT -3E-	•	•																							
44	609530	NATURAL GAS INJECTORS KIT 4E			•	•	•	•									•	•	•	•							
44	609540	NATURAL GAS INJECTOR KIT 5E							•	•	•	•								•	•	•	•				
44	609550	NATURAL GAS INJECTOR KIT 6E											•														
44	609560	NATURAL GAS INJECTOR KIT 7E													•												
44	609570	NATURAL GAS INJECTORS KIT 9E														•											
44	3607110	LPG INJECTORS 3E	•	•																							
44	3607120	LPG INJECTORS 4E			•	•	•	•									•	•	•	•							
44	3607130	LPG INJECTORS 5E							•	•	•	•								•	•	•	•				
44	3607140	LPG INJECTORS 6E											•														
44	3607150	LPG INJECTORS 7E													•												
44	3607160	LPG INJECTORS 9E														•											
47	5404740	GAS PIPE GROMMET															•	•	•	•	•	•	•				
49	5207070	FLUE SAMPLE PLUG															•	•	•	•	•	•	•				
60	5406600	GROMMET ELECTRODE LEADS															•	•	•	•	•	•	•				
63	8620300	IGNITION ELECTRODES & CABLE	•		•		•		•		•		•	•	•	•	•		•		•		•		B640		
63	8620350	IGNITION ELECTRODE		•		•		•		•		•						•			•		•				
63	8620350	IGNITION ELECTRODE	•		•		•		•		•		•	•	•	•	•		•		•		•			B641	NO
65	8620290	IONIZATION ELECTRODE & CABLE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				

[illegible]


[illegible]


HEATING																							To serial number	From serial number	Intercha ngeable:
Pos	Code	Description code	431153010/12 1.1501 3E	B431153013/4 1.1501 3E	431233010/12 1.2301 4E	B431233013/4 1.2301 4E	431233470/12 1.2301N 4E	B431233473/4 1.2301N 4E	431303470/12 1.3001 5E	B431303013/4 1.3001 5E	431303470/12 1.3001N 5E	B431303473/4 1.3001N 5E	431403470/12/3 1.4001N 6E	431403470/12/3 1.4901N 7E	431493470/12/3 1.6201N 9E	431623470/12/3 1.2301F 4E	435233010/12 1.2301F 4E	/SB435233013 1.3001F 5E	/SB435233473 1.3001F 5E	435303470/12 300 FIN 5E	/SB435303013 300 FIN 5E				
525	8620370	IGNITER VZ 2/25 SAC L=600	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
527	5408000	BLANKING PLATE - FACIA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
530	3108270	FRONTAL U TRAVERSE															•	•	•	•	•				
531	3108290	U-SHAPED REAR SUPPORT -FF-															•	•	•	•	•				
532	3108280	EXCHANGER POSITIONING SUPPORT															•	•	•	•	•				
533	3401500	SEALED CHAMBER GASKET L-828 MM															•	•	•	•	•				
534	3401480	SEALED CHAMBER GASKET L-300 MM															•	•	•	•	•				
535	3202820	FRONTAL SPACER 039 FF G1/															•	•	•	•					
535	3202840	FRONTAL SPACER G1 1/4-G1/2 FF																•	•		•	•			
536	3400530	GASKET 1"" 1/4" "	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
537	3101570	CAP G1"" 1/4" "	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
538	3101190	FLOW DISTRIBUTOR -4/5 ELEM.					•	•										•	•						
538	3101200	FLOW DISTRIBUTOR -6/7/9 ELEM.												•	•	•									
538	3101210	FLOW DISTRIBUTOR -3 ELEM. IONO	•	•																					
538	3101220	FLOW DISTRIBUTOR -4 ELEM. IONO			•	•											•	•							
538	3101230	FLOW DISTRIBUTOR -5 ELEM. IONO							•	•									•	•					
539	3616890	REAR JUNCTION ELEMENT 039 FF															•	•	•	•	•	•			
540	3101590	PLUG G3/4					•	•				•	•	•	•	•	•	•	•	•	•	•			
541	3108330	DRAUGHT DIVERTER FIXING SUPP.															•	•	•	•	•	•			
542	3108460	GASKET PIPE CLIP															•	•	•	•	•	•			
543	3616910	CONNECTING PIPE FOR SAFETY V.															•	•	•	•					
544	3401140	GASKET G3/4 26,5X36X3FAST					•	•				•	•	•	•	•	•	•	•	•	•	•			
545	3108770	FRONTAL PANEL SEALED CH.039 FF															•	•	•	•					
545	3109170	FRONTAL PANEL COND. BOIER FF																			•	•			
546	3401490	SEALED CHAMBER GASKET L-530 MM															•	•	•	•	•	•			
547	3401470	SEALED CHAMBER GASKET L-90 MM															•	•	•	•	•	•			
548	3108380	LEFT FIXING HOOK SEALED CH.															•	•	•	•	•	•			
549	3108370	RIGHT FIXING HOOK SEALED CH.															•	•	•	•	•	•			


SLIM ONLY HEATING

Pos	Code	Description code	WSB43153010/1/2 1.150i 3E	WSB431153013/4 1.150i 3E	WSB43123010/1/2 1.230i 4E	WSB43123013/4 1.230i 4E	WSB43123470/1/2 1.230iN 4E	WSB43123473/4 1.230iN 4E	WSB431303010/1/2 1.300i 5E	WSB431303013/4 1.300i 5E	WSB431303470/1/2 1.300iN 5E	WSB431303473/4 1.300iN 5E	WSB431403470/1/2/3 1.400iN 6E	WSB431493470/1/2/3 1.490iN 7E	WSB431623470/1/2/3 1.620iN 9E	WSB4323010/1/2 1.230Fi 4E	WSB43233013 1.230Fi 4E	WSB435233010/1/2 1.230 FiN 4E	WSB435233473 1.230 FiN 4E	WSB435303013 1.300Fi 5E	WSB435303473 1.300 FiN 5E	WSB43530473 1.300 FiN 5E			To serial number	From serial number	Intercha ngeable:
550	3103160	GAS RAMP SHIELD (IONO)	•		•		•		•		•		•	•	•		•		•		•				B640		
550	3111080	GAS RAMP SHIELD 2 IGNITOR		•		•		•		•		•					•		•		•		•				
550	3111080	GAS RAMP SHIELD 2 IGNITOR	•		•		•		•		•		•	•	•		•		•		•		•			B641	NO
551	3101520	CONIC PLUG	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
552	3108440	HEATING INLET PIPE SEAL.CH. FF														•	•	•	•	•	•	•	•				
553	3401510	GASKET FOR GAS RAMP PLATE														•	•	•	•	•	•	•	•				
554	3400470	FLANGE OVAL GASKET	•	•	•	•			•	•						•	•		•	•							
555	3101390	FLOW CONNECTING ELEMENT (IONO)	•	•	•	•			•	•																	
555	3108450	HEATING FLOW COUPLING BOX FC														•	•		•	•							
556	3101580	PLUG G1/2 M	•	•	•	•			•	•						•	•		•	•							
559	3101310	CONNECTING ELEMENT G3/4	•	•	•	•			•	•						•	•		•	•							
566	3401440	GASKET 15X8 L-293														•	•	•	•								
567	3401450	GASKET 15X8 L-300 MM														•	•	•	•	•	•	•	•				
568	3401430	GASKET 15X8 L.270 MM														•	•	•	•	•	•	•	•				
569	3401460	GASKET 15X8 L-373 MM																•	•	•	•	•	•				
625	7144820	REDUCTION FROM G1/2 TO G1/8	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
626	8380760	FLUE THERMOSTAT SPRING	•	•	•	•	•	•	•	•	•	•	•	•	•												
627	8611750	P.C.B. CONNECTOR	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
629	8420770	TERMINAL BOARD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
671	5646780	DRAINING TAP G 1/2 (COPPER)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
999	8418860	PLUG - PCB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
999	8422370	SAFETY/FLUE THERMOSTATS CONNE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
999	8611010	POWER SUPPLY WIRING	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
999	8611760	EARTH WIRING	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
999	8611770	LOW VOLTAGE WIRING 039	•		•		•		•		•		•	•			•		•		•		•		B414		NO
999	8611780	POWER SUPPLY WIRING SIT I 039	•	•	•	•		•	•																		
999	8611790	POWER SUPPLY WIRING SIT					•	•			•	•															
999	8611800	POWER SUPPLY WIRING SIT FI														•	•		•	•							

Tab 138







The BAXI logo is rendered in a bold, blue, sans-serif typeface. The letters are thick and closely spaced, with a slight shadow effect that gives the logo a three-dimensional appearance.

BAXI S.p.A.
Via Trozzetti, 20
36061 BASSANO DEL GRAPPA (VI)
ITALY
Tel. +390424517111
Telefax +390424517379
E-mail. service@baxi.it